

Edition 11

51153371232 3-way thermostatic mixer with wall outlet for shower hose and hand shower bracket

**PRODUCT**



**DRAWING**



**PRODUCT ATTRIBUTES**

Consisting of:

- Thermostatic mixer handle, sleeve, rosette (square)
- Stop and diverter valve for shower hoses with fitted conical end brackets
- handle, sleeve rosette (square) stop and diverter valve, with backflow preventer

**SURFACE**

black matt

**SPECIFICATIONS**

KEUCO EDITION 11 Thermostatic set 51153 371232, consisting of:

KEUCO IXMO Thermostatic mixer UP DN15, 59553370002

Thermostatic mixer with black matt surface for shower and bath made of low-dezincification brass , with square rosette, freely positionable, with built-in device for reversed waterways, installation depth 80 - 110 mm, high quality temperature control unit, safety cut-off at 38° ,

Set consisting of:

handle, sleeve, rosette (square), rosette 90 x 90 mm, thickness 10mm, total projection 80 mm, suitable for concealed installation unit article no.59553000070

KEUCO IXMO 3-Wege stop and diverter valve

with wall outlet for shower hose and hand shower bracket UP DN15, 59549371202

3-Wege stop and diverter valve with black matt surface with IXMO handle Comfort and with wall outlet for shower hose and integrated hand shower bracket,

freely positionable, installation depth 80-110 mm, with adjustment option for fine assembly for handle and rosette,

with square rosette, with wall outlet for shower hose G 1/2 inch, for hoses with a conical nut,

e.g. KEUCO shower hose 54995..., rosette 90 x 90 mm, thickness 10 mm, total projection 80 mm,

The wall outlet for shower hose is intrinsically safe against backflow according to DIN EN 1717.

All inlets planned below the water inlet line are to be checked and, if necessary, according to DIN 1988 secure against backflow.

Set consisting of:

handle, casing, rosette (square) and stop and diverter valve, suitable for concealed installation unit article no. 59548000170

Essential for installation: Rough part set 59953 003170

Please order separately!